



# Richards-Wilcox

Engineered for Life

## Residential Product Catalogue



**R-W Landmark**  
Series™

**Canada's Highest Quality Garage Doors, Since 1912**  
**Contact an R-W Authorized Dealer Today!**

**100**  
Richards-Wilcox  
100 Years of Innovation  
[RWDOORS.COM](http://RWDOORS.COM)



# OUR HISTORY


**Canada's Highest Quality Doors, Since 1912**

## Celebrating Over 100 Years In Business

Richards-Wilcox was incorporated in Canada in 1912, making us the oldest door company in the world. We're proud of our long history of quality products and we've built upon that history to bring you the exceptional line of residential garage doors we offer today.

At Richards-Wilcox, we are committed to making the next chapter of our history just as exciting as the first. We are passionate innovators of garage door design and desire to be the highest quality door systems manufacturer in the world.

## GARAGE DOOR COLLECTIONS



**ROCKWOOD**  
PAGE 6



**ROCKWOOD  
CONTEMPORARY**  
PAGE 8




**ECHO RIDGE XL**  
PAGE 10




**ECHO RIDGE**  
PAGE 12




**BRIARCREST**  
PAGE 14




**GRANDVIEW**  
PAGE 16



**PREMIUM**  
PAGE 18



**PREMIUM  
CONTEMPORARY**  
PAGE 20



**CLASSIC**  
PAGE 22



## **R-W AUTHORIZED DEALERS**

A door is only as good as its installation. That's why our doors are only installed by Authorized Dealers. This process ensures that every installation meets our standards of quality.



## **MADE IN CANADA**

Richards-Wilcox Canada has been in business for over 100 years; from parts, hardware to panels, R-W doors are proudly made in Canada.



## **LIMITED LIFETIMER™ WARRANTY**

There are enough worries in life – your garage door shouldn't be one of them. When you choose Richards-Wilcox, you've chosen the best garage door you can buy and we'll back that up in writing with our Limited Life-Timer™ Warranty.



## WEATHERLOCK™ SYSTEM

### Unique Section Joint & Perimeter Door Seal System

Landmark doors incorporate R-W's exclusive WeatherLock™ Section Joint. R-W's modified tongue and groove joint moves the joint closer to the exterior of the door face to limit air and water infiltration, while providing unyielding section strength and integrity. R-W's Dual Fin, Triple Contact Weather Seal is engineered to seal out dirt, bugs, wind, snow and water and match up beautifully with most garage styles and colors. Our Arctic Grade Bulb Shaped Bottom Seal with a rust resistant Dual Contact aluminum retainer increases the strength of the bottom of the door.



## ENGINEERED GARAGE DOOR SYSTEM

### Our Garage Doors Last A Lifetime

Engineered and tested door systems that conform to the highest industry standards and regulations. R-W manufactures all door panels and major hardware components, giving us complete quality control from start to finish.

## NEUFOAM™

### It's What's Inside That Counts!

In order to achieve the highest thermal values and stability, R-W sections are evenly filled with environmentally friendly CFS/HCFC-free Neufoam™. The higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



## TRU-BALANCE™ DRUM SYSTEM

### Safely Manually Operate Your Garage Doors In Emergency Situations

The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard. This improved drum configuration delivers a smoother operation, and more control, as the door moves through the track radius in to the horizontal plane.

Homeowners will have a piece of mind that they can safely operate their garage door with ease in emergency situations. TruBalance™ also reduces the load on your electric door opener extending the service free life span.




# INTRODUCING THE **R-W Landmark** Series™

## The Newest Line of High-Performance Garage Door Systems By **Richards-Wilcox.**

Since 1912, Richards-Wilcox Canada has been manufacturing quality doors in Canada for over 100 Years. Richards-Wilcox Residential Doors are not only one of the strongest, most efficient door systems in the world, but also offer a complete range of residential garage doors that will make your home look beautiful for years to come.

### The **R-W** Landmark Series Collections Include:

- **Rockwood** L200RW
- **Rockwood Contemporary** L200RWC
- **Echo Ridge XL** L200ERX
- **Echo Ridge** L138ER
- **Briarcrest** L200BC
- **Grandview** L200GV
- **Premium** L200
- **Premium Contemporary** L200C
- **Classic** L138






**R-W LANDMARK  
SERIES™**

# ROCKWOOD

## L200RW

Collection

Handcrafted overlays of clear red cedar can be stained to enhance the richly grained wood's beauty and match your home's exterior detail. When painting your door, flush boards and overlays made of a composite material that offer a cost savings and no end-of-colour options for a truly custom look.



**LINWOOD**




**WATERLOO**




**SHAKESPEARE**



**CUSTOM ROCKWOOD**



**BENTLEY**




**CUSTOM ROCKWOOD**




**CROSSHILL**

### POPULAR STYLES



**BRACEBRIDGE**




**CROSSHILL**



**OXFORD**



**LINWOOD**



**BENTLEY**



**WATERLOO**



**STRATFORD**



**SHAKESPEARE**





R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
<b>19.35*</b>	<b>3"</b>	<b>18"/21"/28"/32"</b> 6'-6" to 12' in 3" Increments	<b>18' X 10'</b>

\*R-Value calculated on 1" Cedar Board



**Limited LifeTimer™ Warranty**  
For As Long As You Own Your Home

## FEATURES & BENEFITS

- › Neufoam™; Insulated polyurethane core to ensure energy efficiency.
- › TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- › WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- › Matching cedar capped channels blend evenly into the custom coloured panels.
- › Ability to match any arched header. Can be constructed to match any opening.



## CUSTOM COLORS

Please see your R-W Authorized Dealer for complete details on overlay. With both paint and stain grade options available, your door can be customized to match your home's exterior styling.

Talk to your R-W Garage Doors dealer about all the different color options for your door.



**TruBalance  
Drum System™**



**Neufoam™**



**WeatherLock™  
System**

**R-W LANDMARK  
SERIES™**

# **ROCKWOOD CONTEMPORARY L200RWC**

**Collection**




## **V-GROOVE**



Cedar boards are cut at a 45° angle and fit together to form a V-Groove. Available in 3" or 5" (76mm or 127mm) tongue-and-groove.

## **COMPOSITE MATERIAL**



1/2" Extra composite material has a treated exterior. A smooth surface provides a flat exterior for painted doors.

## **CUSTOM COLOUR**





Please see your R-W Authorized Dealer for complete details on overlay. With both paint and stain grade options available, your door can be customized to match your home's exterior styling.

Talk to your R-W Garage Doors dealer about all the different color options for your door.







R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
19.35*	3"	18"/21"/28"/32" 7'- to 10' in 4" Increments	18' X 10'

## FEATURES & BENEFITS

- › Neufoam™; Insulated polyurethane core to ensure energy efficiency.
- › TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- › WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- › Matching cedar capped channels blend evenly into the custom coloured panels.
- › Ability to match any arched header. Can be constructed to match any opening.

This is a small sampling of the Rockwood Contemporary Panel Options. Custom designs are available. See dealer for details.

\*R-Value calculated on 1" Cedar Board



Limited LifeTimer™ Warranty  
For As Long As You Own Your Home



TruBalance  
Drum System™



Neufoam™



WeatherLock™  
System

**R-W LANDMARK  
SERIES™**




# ECHO RIDGE XL

## L200ERX


Collection

### PANEL STYLES



Note: All Overlay options are available without windows

### WINDOW OPTIONS



Window Styles Not Pictured: 4 Pane Arched, 4 Over 4 Pane and 4 Over 4 Pane Arched  
 \*10' (3048mm) wide doors use a 4-over-4 pattern






## COLOUR OPTIONS

### Door Base



### Overlay Boards



R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
18	2"	28"/32" 7' to 10' in 4" Increments	18' X 10'

## FEATURES & BENEFITS

Unique 3 section construction and large top section window adds beauty to your home.

- › Neufoam™; Insulated polyurethane core to ensure energy efficiency.
- › TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- › WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- › 9 colours to choose from including the new black, brown, café and desert tan.
- › 2 overlay colours - white and sandstone.



Limited LifeTimer™ Warranty  
For As Long As You Own Your Home



TruBalance  
Drum System™



Neufoam™




WeatherLock™  
System

# ECHO RIDGE

## L138ER

Collection


### PANEL OPTION



**A-BUCK**




**V-BUCK**



**X-BUCK**



**SWING**



**BI-FOLD**

Note: All Overlay options are available without windows


### WINDOW OPTIONS



**1 PANE**



**1 PANE ARCHED**



**3 PANE**



**3 OVER 3 PANE**



**3 OVER 3 PANE ARCHED**

Window Styles Not Pictured: 4 Pane Arched, 4 Over 4 Pane and 4 Over 4 Pane Arched

\*10' (3048mm) wide doors use a 4-over-4 pattern


10' (3048mm) wide doors use a 4-over-4 pattern







## COLOUR OPTIONS

### Door Base



### Overlay Boards



R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
12	1-3/8"	18" / 24" 6'-6" to 10' in 6" Increments	18' X 10'

## FEATURES & BENEFITS

- › Neufoam™; Insulated polyurethane core to ensure energy efficiency
- › TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- › WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- › 5 panel styles to choose from.
- › 9 colours to choose from including the new black, brown and desert tan.
- › 2 overlay colours - white and sandstone.



Limited LifeTimer™ Warranty

For As Long As You Own Your Home



TruBalance  
Drum System™



Neufoam™



WeatherLock™  
System

**R-W LANDMARK  
SERIES™**

# BRIARCREST

## L200BC

### Collection

#### PANEL OPTION




**A-BUCK**



**X-BUCK**



**V-BUCK**



**SWING**




**BI-FOLD**

Note: Panel styles are available without windows.


Decorative Hardware does not come standard.

#### WINDOW OPTIONS


##### WROUGHT IRON




##### 4-OVER-4 PANE



##### 4 PANE



##### CLEAR




Note: Available in Clear, Obscure Pinhead and Satin Insulated Glass.





## COLOUR OPTIONS



R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
18	2"	18" / 21" / 24"	18' X 12'

## FEATURES & BENEFITS

- › Neufoam™; Insulated polyurethane core to ensure energy efficiency.
- › TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- › WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- › Large top window section and new recessed smooth designs to add sheer elegance to your home.
- › 9 colours to choose from.
- › 5 panel styles including the customer preferred smooth designs.



## Limited LifeTimer™ Warranty

For As Long As You Own Your Home



TruBalance  
Drum System™



Neufoam™



WeatherLock™  
System




# GRANDVIEW

## L200GV


Collection

### PANEL STYLES




### WINDOW OPTIONS


#### WROUGHT IRON




#### 4-OVER-4 PANE



#### 4 PANE



#### CLEAR



Note: Available in Clear, Obscure Pinhead and Satin Insulated Glass.






## COLOUR OPTIONS



\*Not Available in Recessed Grooved Panel Styles.

\*\*Not Available in Windemere and Recessed Smooth Ranch.



R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
18	2"	18" / 21" / 24"	18' X 12'



## Limited LifeTimer™ Warranty

For As Long As You Own Your Home

## FEATURES & BENEFITS

- › Neufoam™; Insulated polyurethane core to ensure energy efficiency.
- › TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- › WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- › Large top window section and new recessed smooth designs to add sheer elegance to your home.
- › 10 colours to choose from including 2 new shades and an authentic new Walnut wood tone.
- › 8 panel styles including the new Recessed Grooved Ranch, the Recessed Grooved Colonial and Recessed Ranch Smooth.



TruBalance  
Drum System™



Neufoam™



WeatherLock™  
System

# **PREMIUM L200 Collection**




## **PANEL STYLES**



**RAISED RANCH**



**RAISED COLONIAL**



**FLUSH**



**PLANK**



**MIXED PANEL**



**RECESSED GROOVED COLONIAL**



**RECESSED GROOVED RANCH**




**RECESSED SMOOTH RANCH**



**WINDEMERE**

## **POPULAR MIXED PANEL OPTIONS**







## COLOUR OPTIONS



## DISTINCT FINISH WOODTONES

Distinct Finish Woodtones™ simulate the look of an authentic woodgrain door on a durable and long-lasting, steel door base. Oak woodgrain patterns run vertical between the embossed panels and horizontal with the rails to deliver a true grain appearance.



\*\*\*Not available in Recessed Smooth Ranch, Windemere, Flush and Plank.



R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
18	2"	18" / 21" / 24" 6'-6" to 12' in 3" Increments	20' X 12'

## FEATURES & BENEFITS

- Neufoam™; Insulated polyurethane core to ensure energy efficiency.
- TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- 2" Inch panel thickness.
- 9 panel styles to chose from.
- 12 colours to choose from including the two new Distinct Finish Woodtones™.



## Limited LifeTimer™ Warranty

For As Long As You Own Your Home



TruBalance  
Drum System™



Neufoam™



WeatherLock™  
System


# PREMIUM CONTEMPORARY L200C Collection

Customize your garage door look with your own personal style, with the ability to place windows in any location on your door. Create a contemporary look and get creative in your window placement for a one-of-a-kind look.

## PANEL STYLES



**PLANK**



**FLUSH**

## WINDOW OPTIONS



Colonial



Ranch


Aluminium

## POPULAR WINDOW CONFIGURATIONS


The Contemporary Collection is available in many different window configurations. Talk to your R-W dealer to discuss.

Multiple window configurations available.


Aluminium



SINGLE VERTICAL RIGHT




DOUBLE VERTICAL RIGHT



2 VERTICAL STACK RIGHT


Colonial



SINGLE VERTICAL LEFT  
(1 x 4)




DOUBLE VERTICAL LEFT  
(2 x 4)




DOUBLE OFF-SET DOWN


Ranch



SINGLE VERTICAL LEFT



SINGLE VERTICAL STACK LEFT



SINGLE STEP UP LEFT





## COLOUR OPTIONS



R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
18	2"	18" / 21" / 24" 6' 6" to 10' in 3" increments	18' X 10'

## FEATURES & BENEFITS

- › Neufoam™; Insulated polyurethane core to ensure energy efficiency.
- › WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- › 10 colours to choose from including the new authentic Walnut Woodlook tone.
- › 2 panel styles to choose from.
- › 3 window choices - Double Pane Colonial and Ranch and Double Pane Aluminum



**Limited Life Timer™ Warranty**  
For As Long As You Own Your Home



Neufoam™



WeatherLock™  
System

**R-W LANDMARK  
SERIES™**

# **CLASSIC**


## **L138**

Collection


### **PANEL STYLES**



**RAISED RANCH**




**RAISED COLONIAL**



**FLUSH**



**PLANK**



**RECESSED GROOVED COLONIAL**



**RECESSED GROOVED RANCH**



**WINDEMERE**






# COLOUR OPTIONS



\*Not Available in Recessed Grooved Panel Styles.  
 \*\*Not Available in Windemere.



R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
12	1-3/8"	18" / 21" / 24" 6'- 6" to 12' in 3" Increments	20' X 12'

# FEATURES & BENEFITS

- › Neufoam™ Insulated polyurethane core to ensure energy efficiency.
- › TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- › WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- › 10 colours to choose from.
- › 7 panel styles to chose from.
- › 3 window choices - Double Pane Colonial and Ranch and Double Pane Aluminum.



**Limited Life Timer™ Warranty**  
 For As Long As You Own Your Home



**TruBalance  
 Drum System™**



**Neufoam™**



**WeatherLock™  
 System**

## CLASSIC(L138) & PREMIUM(L200) WINDOW COLLECTION

When it comes to choosing the right window design for your garage door, no one can help you like your authorized R-W Dealer to achieve that perfect finishing touch to your new garage door. Once you've made your choice, that same R-W professional will install your new garage door, ensuring maximum performance and reliability. Your technician will check your door for everything from safety to performance and appearance. Trust your R-W garage door to someone who knows it better than anyone else, your professional R-W Dealer.

### DECORATIVE INSERTS



**CLEAR**



**SHERWOOD**



**PRAIRIE**



**PRAIRIE RANCH**



**WATERTON**



**CASCADE**



**STOCKBRIDGE RANCH**



**STOCKTON**



**ARCHED STOCKTON RANCH**



**CLEAR RANCH**



**SUNBURST RANCH**



**CATHEDRAL**



**WATERTON RANCH**



**CASCADE RANCH**



**ARCHED STOCKBRIDGE RANCH**



**STOCKTON RANCH**



**SUNBURST 4**



**SUNBURST 5**



**SUNBURST 6**



**SUNBURST 7**



**SUNBURST 8**



**SUNBURST 9**



**SUNRAY (4 PANEL)**



**BRECKENRIDGE**



**BERKSHIRE**

\*Available in single glass (clear and obscure pinhead)  
or double glass. (clear and obscure pinhead & satin)




## ROUND BAR

3/8" (10 mm) round bars available in pewter. Standard with clear double glass; obscure pinhead and satin glass optional.



## SQUARE BAR

3/8" (10 mm) square bars available in black. Standard with clear double glass; obscure pinhead and satin glass optional.



## ALUMINUM GRID

5/8" (16 mm) grids available in **sandstone, desert tan, almond, bronze, brown, café, slate grey, white** and **black**. Standard with clear double glass; obscure pinhead and satin glass is optional.



## GLASS OPTIONS



CLEAR



OBSCURE



SATIN

# FRAME COLOURS

Window frames available in all colours and wood finishes.





**R-W LANDMARK  
SERIES™**

# DECORATIVE HARDWARE



**16" CAST IRON SPEAR HINGE**



**16" CAST IRON COLONIAL HINGE**



**16" STAMPED SPADE HINGE**



**16" CAST IRON SPEAR HINGE ASSEMBLY**

## MAGNETIC HARDWARE



**MANOR  
COLLECTION**



**COLONIAL  
COLLECTION**



**MISSION  
COLLECTION**



**CAST IRON  
COLONIAL  
PULL HANDLE**



**CAST IRON  
SPEAR  
PULL HANDLE**



**ARCHED CAST  
IRON  
FLEUR-DE-LYS  
PULL HANDLE**



**STAMPED  
SPADE  
PULL HANDLE**



**KEYED + DUMMY L-HANDLE**



**KEYED + DUMMY SPADE  
L-HANDLE**



**CAST IRON FLEUR-DE-LYS  
DUMMY HANDLE**



**CAST IRON L-HANDLE  
LONG DUMMY HANDLE**



**CAST IRON  
COLONIAL  
LIFT HANDLE**



**CAST IRON  
SPEAR  
LIFT HANDLE**



**CAST IRON  
FLEUR-DE-LYS  
LIFT HANDLE**



**STAMPED  
SPADE  
LIFT HANDLE**



**CAST IRON FLEUR-DE-LYS  
DOOR KNOCKER**



**CAST IRON LION'S HEAD  
DOOR KNOCKER**



**CAST IRON DOOR STUDS**





# WHY RICHARDS-WILCOX?



## **BUILT TO LAST**

Door sections are constructed from high-strength, rust-resistant galvanized steel and coated with a baked-on polyester paint finish. Which means your door will last a really, REALLY long time.



## **WEATHER THE CLIMATE**

Built to withstand many different weather conditions, our doors have a continuous polyurethane insulated core, arctic-grade bottom seal and dual-seal section joints to help reduce air flow and lower your energy costs.



## **GREEN COMES STANDARD**

Our Neufoam™ polyurethane insulation is zero ozone-depleting to help reduce greenhouse gas emissions. Woodgrain embossing simulates real hardwood without depleting our forests.



## **STEEL IS THE NEW WOOD**

Authentic woodgrain texture on panels gives you the aesthetic of wood without the cost or hassle of maintaining it.



**Richards-Wilcox**  
Engineered for Life

# **R-W Landmark**

## **Series™**

**For additional information and friendly advice,  
please contact your local Richards-Wilcox dealer**

Professionally installed and serviced by:

**RICHARDS-WILCOX GARAGE DOORS**

5100 Timberlea Boulevard, Mississauga, Ontario Canada L4W 2S5

Toll Free: 1 (800) 667-1572 | Tel: (905) 625-0037 | Fax: (905) 625-0057 | Email: [info@rwdoors.com](mailto:info@rwdoors.com)

**[www.rwdoors.com](http://www.rwdoors.com)**